


TripFlag Cabinet

The TripFlag Cabinet offers shelving that can be adjusted to different heights and dividers to different widths. Used In conjunction with our TwinBin Flag.



TripFlag Cabinet


H 1.7m x W 1.32m x H 0.6m (excluding castors)

The TripFlag Cabinet is designed to suit products that are bulky or wouldn't easily fit into a bin.

The TripFlag Cabinet have heavy duty castors to allow mobility around site.

Each shelf can take 400kg weight UDL.

It is available with branded panelling on the side to suit your company needs.



The TripFlag Cabinet can also be fitted with a TwinBin Rack on the side holding options of:


- 48 Mini TwinBins
- 24 Single TwinBins
- 12 Double TwinBins
- 6 Triple TwinBins
- Or a mix a TwinBin sizes.

Divider Options

The dividers can be placed at different widths at 80mm increments.

Dividers at 75mm - No doors Sixteen Sections

Note sliding doors have a 155mm minimum width however 75mm sections can be used to store reels.




Dividers at 155mm - Four sliding door sections



Dividers at 315mm - Two sliding door sections



Dividers at 635mm - One sliding door section




Shelving Options

The TripFlag Cabinet offers a shelving that can be adjusted to different heights at 185 mm increments.


Shelves at 150 mm intervals - Nine shelves at 150mm high.

Recommended minimum door with 155mm.




Shelving Options

Shelves at 335 mm intervals - Four shelves at 335mm high.
Recommended minimum door with 155mm.




Shelves at 520 mm intervals - Three shelves at 520mm high.
Recommended minimum door with 155mm.




Shelving Options

Shelves at 705 mm intervals - To shelves at 705 mm high.
Recommended minimum door with 315mm





Shelves at 890 mm intervals - One shelf at 890 mm high.
Recommended minimum door with 315mm.



Possible Layout Configurations

The TripFlag Cabinet can be used in any configuration to suit user needs.



Your Layout

The TripFlag Cabinet can be used in any configuration use this blank template to draw your own rack specifications.

Each cabinet is 1700 mm H x 1320 mm W x 600 mm D externally.

The shelves all have a depth of 575 mm.

Each shelf can take 400kg weight UDL.

